



Определите, является ли десятичная дробь в результате бесконечной(R) или непериодической(T) .

ОТВЕТЫ

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

1)  $10 : 3 =$  \_\_\_\_\_

2)  $\frac{1}{8} =$  \_\_\_\_\_

3)  $\frac{16}{20} =$  \_\_\_\_\_

4)  $102 : 19 =$  \_\_\_\_\_

5)  $\frac{2}{17} =$  \_\_\_\_\_

6)  $288 : 27 =$  \_\_\_\_\_

7)  $\frac{11}{13} =$  \_\_\_\_\_

8)  $\frac{6}{16} =$  \_\_\_\_\_

9)  $196 : 30 =$  \_\_\_\_\_

10)  $\frac{21}{24} =$  \_\_\_\_\_

11)  $101 : 15 =$  \_\_\_\_\_

12)  $243 : 26 =$  \_\_\_\_\_

13)  $45 : 18 =$  \_\_\_\_\_

14)  $84 : 22 =$  \_\_\_\_\_

15)  $144 : 14 =$  \_\_\_\_\_

1. \_\_\_\_\_

2. \_\_\_\_\_

3. \_\_\_\_\_

4. \_\_\_\_\_

5. \_\_\_\_\_

6. \_\_\_\_\_

7. \_\_\_\_\_

8. \_\_\_\_\_

9. \_\_\_\_\_

10. \_\_\_\_\_

11. \_\_\_\_\_

12. \_\_\_\_\_

13. \_\_\_\_\_

14. \_\_\_\_\_

15. \_\_\_\_\_



Определите, является ли десятичная дробь в результате бесконечной(R) или непериодической(T) .

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

1)  $10 : 3 = \underline{3}$

2)  $\frac{1}{8} = \underline{2 \times 2 \times 2}$

3)  $\frac{16}{20} = \underline{5}$

4)  $102 : 19 = \underline{19}$

5)  $\frac{2}{17} = \underline{17}$

6)  $288 : 27 = \underline{3}$

7)  $\frac{11}{13} = \underline{13}$

8)  $\frac{6}{16} = \underline{2 \times 2 \times 2}$

9)  $196 : 30 = \underline{3 \times 5}$

10)  $\frac{21}{24} = \underline{2 \times 2 \times 2}$

11)  $101 : 15 = \underline{3 \times 5}$

12)  $243 : 26 = \underline{2 \times 13}$

13)  $45 : 18 = \underline{2}$

14)  $84 : 22 = \underline{11}$

15)  $144 : 14 = \underline{7}$

ОТВЕТЫ1. Р2. Т3. Т4. Р5. Р6. Р7. Р8. Т9. Р10. Т11. Р12. Р13. Т14. Р15. Р



Определите, является ли десятичная дробь в результате бесконечной(R) или непериодической(T) .

ОТВЕТЫ

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

- 1)  $\frac{2}{5} =$  \_\_\_\_\_
- 2)  $47 : 9 =$  \_\_\_\_\_
- 3)  $141 : 16 =$  \_\_\_\_\_
- 4)  $108 : 11 =$  \_\_\_\_\_
- 5)  $\frac{9}{17} =$  \_\_\_\_\_
- 6)  $\frac{12}{28} =$  \_\_\_\_\_
- 7)  $\frac{8}{20} =$  \_\_\_\_\_
- 8)  $\frac{2}{26} =$  \_\_\_\_\_
- 9)  $7 : 2 =$  \_\_\_\_\_
- 10)  $151 : 30 =$  \_\_\_\_\_
- 11)  $\frac{10}{12} =$  \_\_\_\_\_
- 12)  $\frac{12}{13} =$  \_\_\_\_\_
- 13)  $\frac{4}{14} =$  \_\_\_\_\_
- 14)  $92 : 21 =$  \_\_\_\_\_
- 15)  $10 : 4 =$  \_\_\_\_\_

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_
6. \_\_\_\_\_
7. \_\_\_\_\_
8. \_\_\_\_\_
9. \_\_\_\_\_
10. \_\_\_\_\_
11. \_\_\_\_\_
12. \_\_\_\_\_
13. \_\_\_\_\_
14. \_\_\_\_\_
15. \_\_\_\_\_



Определите, является ли десятичная дробь в результате бесконечной(R) или непериодической(T).

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

- 1)  $\frac{2}{5} =$  5
- 2)  $47 : 9 =$   $3 \times 3$
- 3)  $141 : 16 =$   $2 \times 2 \times 2 \times 2$
- 4)  $108 : 11 =$  11
- 5)  $\frac{9}{17} =$  17
- 6)  $\frac{12}{28} =$  7
- 7)  $\frac{8}{20} =$  5
- 8)  $\frac{2}{26} =$  13
- 9)  $7 : 2 =$  2
- 10)  $151 : 30 =$   $2 \times 3 \times 5$
- 11)  $\frac{10}{12} =$   $2 \times 3$
- 12)  $\frac{12}{13} =$  13
- 13)  $\frac{4}{14} =$  7
- 14)  $92 : 21 =$   $3 \times 7$
- 15)  $10 : 4 =$  2

ОТВЕТЫ

1. T
2. P
3. T
4. P
5. P
6. P
7. T
8. P
9. T
10. P
11. P
12. P
13. P
14. P
15. T



Определите, является ли десятичная дробь в результате бесконечной(R) или непериодической(T) .

**ОТВЕТЫ**

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

1)  $31 : 3 =$  \_\_\_\_\_

2)  $\frac{1}{2} =$  \_\_\_\_\_

3)  $107 : 28 =$  \_\_\_\_\_

4)  $\frac{4}{7} =$  \_\_\_\_\_

5)  $\frac{5}{13} =$  \_\_\_\_\_

6)  $\frac{7}{22} =$  \_\_\_\_\_

7)  $153 : 25 =$  \_\_\_\_\_

8)  $271 : 26 =$  \_\_\_\_\_

9)  $99 : 24 =$  \_\_\_\_\_

10)  $\frac{7}{12} =$  \_\_\_\_\_

11)  $\frac{1}{4} =$  \_\_\_\_\_

12)  $166 : 27 =$  \_\_\_\_\_

13)  $\frac{7}{8} =$  \_\_\_\_\_

14)  $\frac{7}{15} =$  \_\_\_\_\_

15)  $\frac{16}{23} =$  \_\_\_\_\_

1. \_\_\_\_\_

2. \_\_\_\_\_

3. \_\_\_\_\_

4. \_\_\_\_\_

5. \_\_\_\_\_

6. \_\_\_\_\_

7. \_\_\_\_\_

8. \_\_\_\_\_

9. \_\_\_\_\_

10. \_\_\_\_\_

11. \_\_\_\_\_

12. \_\_\_\_\_

13. \_\_\_\_\_

14. \_\_\_\_\_

15. \_\_\_\_\_



Определите, является ли десятичная дробь в результате бесконечной(R) или непериодической(T) .

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

1)  $31 : 3 =$  3

2)  $\frac{1}{2} =$  2

3)  $107 : 28 =$   $2 \times 2 \times 7$

4)  $\frac{4}{7} =$  7

5)  $\frac{5}{13} =$  13

6)  $\frac{7}{22} =$   $2 \times 11$

7)  $153 : 25 =$   $5 \times 5$

8)  $271 : 26 =$   $2 \times 13$

9)  $99 : 24 =$   $2 \times 2 \times 2$

10)  $\frac{7}{12} =$   $2 \times 2 \times 3$

11)  $\frac{1}{4} =$   $2 \times 2$

12)  $166 : 27 =$   $3 \times 3 \times 3$

13)  $\frac{7}{8} =$   $2 \times 2 \times 2$

14)  $\frac{7}{15} =$   $3 \times 5$

15)  $\frac{16}{23} =$  23

ОТВЕТЫ1. Р2. Т3. Р4. Р5. Р6. Р7. Т8. Р9. Т10. Р11. Т12. Р13. Т14. Р15. Р



Определите, является ли десятичная дробь в результате бесконечной(R) или непериодической(T) .

ОТВЕТЫ

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

- 1)  $\frac{18}{27} =$  \_\_\_\_\_
- 2)  $\frac{3}{8} =$  \_\_\_\_\_
- 3)  $196 : 24 =$  \_\_\_\_\_
- 4)  $\frac{10}{28} =$  \_\_\_\_\_
- 5)  $71 : 22 =$  \_\_\_\_\_
- 6)  $82 : 14 =$  \_\_\_\_\_
- 7)  $60 : 21 =$  \_\_\_\_\_
- 8)  $\frac{3}{5} =$  \_\_\_\_\_
- 9)  $15 : 4 =$  \_\_\_\_\_
- 10)  $\frac{1}{2} =$  \_\_\_\_\_
- 11)  $33 : 7 =$  \_\_\_\_\_
- 12)  $\frac{4}{6} =$  \_\_\_\_\_
- 13)  $\frac{14}{30} =$  \_\_\_\_\_
- 14)  $\frac{2}{17} =$  \_\_\_\_\_
- 15)  $80 : 9 =$  \_\_\_\_\_

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_
6. \_\_\_\_\_
7. \_\_\_\_\_
8. \_\_\_\_\_
9. \_\_\_\_\_
10. \_\_\_\_\_
11. \_\_\_\_\_
12. \_\_\_\_\_
13. \_\_\_\_\_
14. \_\_\_\_\_
15. \_\_\_\_\_



Определите, является ли десятичная дробь в результате бесконечной(R) или непериодической(T) .

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

- 1)  $\frac{18}{27} =$  3
- 2)  $\frac{3}{8} =$   $2 \times 2 \times 2$
- 3)  $196 : 24 =$   $2 \times 3$
- 4)  $\frac{10}{28} =$   $2 \times 7$
- 5)  $71 : 22 =$   $2 \times 11$
- 6)  $82 : 14 =$  7
- 7)  $60 : 21 =$  7
- 8)  $\frac{3}{5} =$  5
- 9)  $15 : 4 =$   $2 \times 2$
- 10)  $\frac{1}{2} =$  2
- 11)  $33 : 7 =$  7
- 12)  $\frac{4}{6} =$  3
- 13)  $\frac{14}{30} =$   $3 \times 5$
- 14)  $\frac{2}{17} =$  17
- 15)  $80 : 9 =$   $3 \times 3$

ОТВЕТЫ

1. Р
2. Т
3. Р
4. Р
5. Р
6. Р
7. Р
8. Т
9. Т
10. Т
11. Р
12. Р
13. Р
14. Р
15. Р





Определите, является ли десятичная дробь в результате бесконечной(R) или непериодической(T) .

ОТВЕТЫ

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

1)  $136 : 19 =$  \_\_\_\_\_

2)  $\frac{7}{26} =$  \_\_\_\_\_

3)  $8 : 3 =$  \_\_\_\_\_

4)  $\frac{5}{23} =$  \_\_\_\_\_

5)  $79 : 13 =$  \_\_\_\_\_

6)  $\frac{6}{12} =$  \_\_\_\_\_

7)  $48 : 21 =$  \_\_\_\_\_

8)  $\frac{24}{27} =$  \_\_\_\_\_

9)  $\frac{8}{29} =$  \_\_\_\_\_

10)  $\frac{5}{30} =$  \_\_\_\_\_

11)  $172 : 28 =$  \_\_\_\_\_

12)  $\frac{4}{10} =$  \_\_\_\_\_

13)  $36 : 11 =$  \_\_\_\_\_

14)  $\frac{2}{8} =$  \_\_\_\_\_

15)  $\frac{8}{16} =$  \_\_\_\_\_

1. \_\_\_\_\_

2. \_\_\_\_\_

3. \_\_\_\_\_

4. \_\_\_\_\_

5. \_\_\_\_\_

6. \_\_\_\_\_

7. \_\_\_\_\_

8. \_\_\_\_\_

9. \_\_\_\_\_

10. \_\_\_\_\_

11. \_\_\_\_\_

12. \_\_\_\_\_

13. \_\_\_\_\_

14. \_\_\_\_\_

15. \_\_\_\_\_



Определите, является ли десятичная дробь в результате бесконечной(R) или непериодической(T) .

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

1)  $136 : 19 =$  19

2)  $\frac{7}{26} =$  2×13

3)  $8 : 3 =$  3

4)  $\frac{5}{23} =$  23

5)  $79 : 13 =$  13

6)  $\frac{6}{12} =$  2

7)  $48 : 21 =$  7

8)  $\frac{24}{27} =$  3×3

9)  $\frac{8}{29} =$  29

10)  $\frac{5}{30} =$  2×3

11)  $172 : 28 =$  7

12)  $\frac{4}{10} =$  5

13)  $36 : 11 =$  11

14)  $\frac{2}{8} =$  2×2

15)  $\frac{8}{16} =$  2

ОТВЕТЫ1. Р2. Р3. Р4. Р5. Р6. Т7. Р8. Р9. Р10. Р11. Р12. Т13. Р14. Т15. Т



Определите, является ли десятичная дробь в результате бесконечной(R) или непериодической(T) .

ОТВЕТЫ

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

- 1)  $\frac{5}{23} =$  \_\_\_\_\_
- 2)  $\frac{21}{25} =$  \_\_\_\_\_
- 3)  $\frac{7}{13} =$  \_\_\_\_\_
- 4)  $73 : 30 =$  \_\_\_\_\_
- 5)  $61 : 7 =$  \_\_\_\_\_
- 6)  $\frac{10}{24} =$  \_\_\_\_\_
- 7)  $77 : 8 =$  \_\_\_\_\_
- 8)  $\frac{3}{4} =$  \_\_\_\_\_
- 9)  $\frac{8}{9} =$  \_\_\_\_\_
- 10)  $107 : 15 =$  \_\_\_\_\_
- 11)  $40 : 6 =$  \_\_\_\_\_
- 12)  $\frac{16}{29} =$  \_\_\_\_\_
- 13)  $139 : 22 =$  \_\_\_\_\_
- 14)  $86 : 26 =$  \_\_\_\_\_
- 15)  $\frac{13}{21} =$  \_\_\_\_\_

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_
6. \_\_\_\_\_
7. \_\_\_\_\_
8. \_\_\_\_\_
9. \_\_\_\_\_
10. \_\_\_\_\_
11. \_\_\_\_\_
12. \_\_\_\_\_
13. \_\_\_\_\_
14. \_\_\_\_\_
15. \_\_\_\_\_



Определите, является ли десятичная дробь в результате бесконечной(R) или непериодической(T) .

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

- 1)  $\frac{5}{23} =$  23
- 2)  $\frac{21}{25} =$  5×5
- 3)  $\frac{7}{13} =$  13
- 4)  $73 : 30 =$  2×3×5
- 5)  $61 : 7 =$  7
- 6)  $\frac{10}{24} =$  2×2×3
- 7)  $77 : 8 =$  2×2×2
- 8)  $\frac{3}{4} =$  2×2
- 9)  $\frac{8}{9} =$  3×3
- 10)  $107 : 15 =$  3×5
- 11)  $40 : 6 =$  3
- 12)  $\frac{16}{29} =$  29
- 13)  $139 : 22 =$  2×11
- 14)  $86 : 26 =$  13
- 15)  $\frac{13}{21} =$  3×7

ОТВЕТЫ

1. Р
2. Т
3. Р
4. Р
5. Р
6. Р
7. Т
8. Т
9. Р
10. Р
11. Р
12. Р
13. Р
14. Р
15. Р



Определите, является ли десятичная дробь в результате бесконечной(R) или непериодической(T) .

ОТВЕТЫ

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

1)  $195 : 30 =$  \_\_\_\_\_

2)  $161 : 18 =$  \_\_\_\_\_

3)  $49 : 24 =$  \_\_\_\_\_

4)  $\frac{1}{2} =$  \_\_\_\_\_

5)  $46 : 22 =$  \_\_\_\_\_

6)  $114 : 11 =$  \_\_\_\_\_

7)  $230 : 28 =$  \_\_\_\_\_

8)  $\frac{1}{3} =$  \_\_\_\_\_

9)  $\frac{14}{21} =$  \_\_\_\_\_

10)  $168 : 17 =$  \_\_\_\_\_

11)  $\frac{3}{4} =$  \_\_\_\_\_

12)  $\frac{6}{10} =$  \_\_\_\_\_

13)  $\frac{11}{25} =$  \_\_\_\_\_

14)  $\frac{6}{9} =$  \_\_\_\_\_

15)  $73 : 12 =$  \_\_\_\_\_

1. \_\_\_\_\_

2. \_\_\_\_\_

3. \_\_\_\_\_

4. \_\_\_\_\_

5. \_\_\_\_\_

6. \_\_\_\_\_

7. \_\_\_\_\_

8. \_\_\_\_\_

9. \_\_\_\_\_

10. \_\_\_\_\_

11. \_\_\_\_\_

12. \_\_\_\_\_

13. \_\_\_\_\_

14. \_\_\_\_\_

15. \_\_\_\_\_



Определите, является ли десятичная дробь в результате бесконечной(R) или непериодической(T) .

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

1)  $195 : 30 =$  2

2)  $161 : 18 =$   $2 \times 3 \times 3$

3)  $49 : 24 =$   $2 \times 2 \times 2 \times 3$

4)  $\frac{1}{2} =$  2

5)  $46 : 22 =$  11

6)  $114 : 11 =$  11

7)  $230 : 28 =$   $2 \times 7$

8)  $\frac{1}{3} =$  3

9)  $\frac{14}{21} =$  3

10)  $168 : 17 =$  17

11)  $\frac{3}{4} =$   $2 \times 2$

12)  $\frac{6}{10} =$  5

13)  $\frac{11}{25} =$   $5 \times 5$

14)  $\frac{6}{9} =$  3

15)  $73 : 12 =$   $2 \times 2 \times 3$

**ОТВЕТЫ**1. T2. P3. P4. T5. P6. P7. P8. P9. P10. P11. T12. T13. T14. P15. P



Определите, является ли десятичная дробь в результате бесконечной(R) или непериодической(T) .

ОТВЕТЫ

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

- 1)  $\frac{7}{30} =$  \_\_\_\_\_
- 2)  $\frac{12}{13} =$  \_\_\_\_\_
- 3)  $182 : 25 =$  \_\_\_\_\_
- 4)  $\frac{4}{12} =$  \_\_\_\_\_
- 5)  $\frac{24}{29} =$  \_\_\_\_\_
- 6)  $201 : 22 =$  \_\_\_\_\_
- 7)  $82 : 8 =$  \_\_\_\_\_
- 8)  $\frac{2}{3} =$  \_\_\_\_\_
- 9)  $51 : 21 =$  \_\_\_\_\_
- 10)  $\frac{6}{16} =$  \_\_\_\_\_
- 11)  $255 : 26 =$  \_\_\_\_\_
- 12)  $\frac{1}{5} =$  \_\_\_\_\_
- 13)  $\frac{3}{4} =$  \_\_\_\_\_
- 14)  $148 : 15 =$  \_\_\_\_\_
- 15)  $\frac{18}{28} =$  \_\_\_\_\_

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_
6. \_\_\_\_\_
7. \_\_\_\_\_
8. \_\_\_\_\_
9. \_\_\_\_\_
10. \_\_\_\_\_
11. \_\_\_\_\_
12. \_\_\_\_\_
13. \_\_\_\_\_
14. \_\_\_\_\_
15. \_\_\_\_\_



Определите, является ли десятичная дробь в результате бесконечной(R) или непериодической(T) .

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

- 1)  $\frac{7}{30} = \underline{2 \times 3 \times 5}$
- 2)  $\frac{12}{13} = \underline{13}$
- 3)  $182 : 25 = \underline{5 \times 5}$
- 4)  $\frac{4}{12} = \underline{3}$
- 5)  $\frac{24}{29} = \underline{29}$
- 6)  $201 : 22 = \underline{2 \times 11}$
- 7)  $82 : 8 = \underline{2 \times 2}$
- 8)  $\frac{2}{3} = \underline{3}$
- 9)  $51 : 21 = \underline{7}$
- 10)  $\frac{6}{16} = \underline{2 \times 2 \times 2}$
- 11)  $255 : 26 = \underline{2 \times 13}$
- 12)  $\frac{1}{5} = \underline{5}$
- 13)  $\frac{3}{4} = \underline{2 \times 2}$
- 14)  $148 : 15 = \underline{3 \times 5}$
- 15)  $\frac{18}{28} = \underline{2 \times 7}$

**ОТВЕТЫ**

1. Р
2. Р
3. Т
4. Р
5. Р
6. Р
7. Т
8. Р
9. Р
10. Т
11. Р
12. Т
13. Т
14. Р
15. Р





Определите, является ли десятичная дробь в результате бесконечной(R) или непериодической(T) .

ОТВЕТЫ

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

1)  $\frac{22}{27} =$  \_\_\_\_\_

2)  $\frac{8}{28} =$  \_\_\_\_\_

3)  $\frac{10}{20} =$  \_\_\_\_\_

4)  $\frac{5}{16} =$  \_\_\_\_\_

5)  $62 : 13 =$  \_\_\_\_\_

6)  $63 : 6 =$  \_\_\_\_\_

7)  $73 : 11 =$  \_\_\_\_\_

8)  $\frac{17}{29} =$  \_\_\_\_\_

9)  $\frac{10}{19} =$  \_\_\_\_\_

10)  $\frac{17}{24} =$  \_\_\_\_\_

11)  $78 : 15 =$  \_\_\_\_\_

12)  $206 : 21 =$  \_\_\_\_\_

13)  $101 : 10 =$  \_\_\_\_\_

14)  $64 : 7 =$  \_\_\_\_\_

15)  $\frac{3}{26} =$  \_\_\_\_\_

1. \_\_\_\_\_

2. \_\_\_\_\_

3. \_\_\_\_\_

4. \_\_\_\_\_

5. \_\_\_\_\_

6. \_\_\_\_\_

7. \_\_\_\_\_

8. \_\_\_\_\_

9. \_\_\_\_\_

10. \_\_\_\_\_

11. \_\_\_\_\_

12. \_\_\_\_\_

13. \_\_\_\_\_

14. \_\_\_\_\_

15. \_\_\_\_\_



Определите, является ли десятичная дробь в результате бесконечной(R) или непериодической(T) .

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

1)  $\frac{22}{27} =$  3×3×3

2)  $\frac{8}{28} =$  7

3)  $\frac{10}{20} =$  2

4)  $\frac{5}{16} =$  2×2×2×2

5)  $62 : 13 =$  13

6)  $63 : 6 =$  2

7)  $73 : 11 =$  11

8)  $\frac{17}{29} =$  29

9)  $\frac{10}{19} =$  19

10)  $\frac{17}{24} =$  2×2×2×3

11)  $78 : 15 =$  5

12)  $206 : 21 =$  3×7

13)  $101 : 10 =$  2×5

14)  $64 : 7 =$  7

15)  $\frac{3}{26} =$  2×13

ОТВЕТЫ1. Р2. Р3. Т4. Т5. Р6. Т7. Р8. Р9. Р10. Р11. Т12. Р13. Т14. Р15. Р



Определите, является ли десятичная дробь в результате бесконечной(R) или непериодической(T) .

**Ответы**

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

1)  $156 : 16 =$  \_\_\_\_\_

2)  $\frac{20}{29} =$  \_\_\_\_\_

3)  $68 : 25 =$  \_\_\_\_\_

4)  $\frac{8}{11} =$  \_\_\_\_\_

5)  $202 : 20 =$  \_\_\_\_\_

6)  $\frac{2}{3} =$  \_\_\_\_\_

7)  $\frac{4}{23} =$  \_\_\_\_\_

8)  $\frac{8}{9} =$  \_\_\_\_\_

9)  $186 : 24 =$  \_\_\_\_\_

10)  $\frac{2}{6} =$  \_\_\_\_\_

11)  $127 : 26 =$  \_\_\_\_\_

12)  $\frac{7}{21} =$  \_\_\_\_\_

13)  $36 : 17 =$  \_\_\_\_\_

14)  $\frac{3}{4} =$  \_\_\_\_\_

15)  $7 : 2 =$  \_\_\_\_\_

1. \_\_\_\_\_

2. \_\_\_\_\_

3. \_\_\_\_\_

4. \_\_\_\_\_

5. \_\_\_\_\_

6. \_\_\_\_\_

7. \_\_\_\_\_

8. \_\_\_\_\_

9. \_\_\_\_\_

10. \_\_\_\_\_

11. \_\_\_\_\_

12. \_\_\_\_\_

13. \_\_\_\_\_

14. \_\_\_\_\_

15. \_\_\_\_\_



Определите, является ли десятичная дробь в результате бесконечной(R) или непериодической(T) .

A fraction will result in a **terminating** decimal if the prime factors of the simplified denominator contain only 2s or 5s (or only 2s and 5s).

$$\frac{6}{40} = \frac{3}{20} = 2 \times 2 \times 5 = 0.15$$

A fraction will result in a **repeating** decimal if the prime factors of the simplified denominator contain any prime factor other than 2 or 5.

$$\frac{5}{42} = 2 \times 3 \times 7 = 0.1\overline{190476}$$

1)  $156 : 16 = 2 \times 2$

2)  $\frac{20}{29} = 29$

3)  $68 : 25 = 5 \times 5$

4)  $\frac{8}{11} = 11$

5)  $202 : 20 = 2 \times 5$

6)  $\frac{2}{3} = 3$

7)  $\frac{4}{23} = 23$

8)  $\frac{8}{9} = 3 \times 3$

9)  $186 : 24 = 2 \times 2$

10)  $\frac{2}{6} = 3$

11)  $127 : 26 = 2 \times 13$

12)  $\frac{7}{21} = 3$

13)  $36 : 17 = 17$

14)  $\frac{3}{4} = 2 \times 2$

15)  $7 : 2 = 2$

ОТВЕТЫ1. T2. P3. T4. P5. T6. P7. P8. P9. T10. P11. P12. P13. P14. T15. T